

中德合作项目发表 SCI 文章列表:

2007 年

- Fan L, Liu S, Bernhofer C, Liu H, Berger F. 2007. Regional land surface energy fluxes by satellite remote sensing in the Upper Xilin River Watershed (Inner Mongolia, China). *Theoretical and Applied Climatology* 88(3-4):231-245.
- Gao YZ, Wang SP, Han XG, Chen QS, Zhou ZY, Patton BD. 2007. Defoliation, nitrogen, and competition: effects on plant growth and resource allocation of *Cleistogenes squarrosa* and *Artemisia frigida*. *J Plant Nutr Soil Sc* 170(1):115-122.
- Holst J, Liu C, Yao Z, Bruggemann N, Zheng X, Han X, Butterbach-Bahl K. 2007a. Importance of point sources on regional nitrous oxide fluxes in semi-arid steppe of Inner Mongolia, China. *Plant and Soil* 296(1-2):209-226.
- Holst J, Liu CY, Bruggemann N, Butterbach-Bahl K, Zheng XH, Wang YS, Han SH, Yao ZS, Yue J, Han XG. 2007b. Microbial N turnover and N-oxide (N₂O/NO/NO₂) fluxes in semi-arid grassland of Inner Mongolia. *Ecosystems* 10(4):623-634.
- Krummelbein J, Wang ZY, Zhao Y, Peth S, Horn R. 2007. Influence of various grazing intensities on soil stability, soil structure and water balance of grassland soils in Inner Mongolia, PR China. *Adv Geocol* 38:93-101.
- Liu CY, Holst J, Bruggemann N, Butterbach-Bahl K, Yao ZS, Yue J, Han SH, Han X, Krummelbein J, Horn R and others. 2007. Winter-grazing reduces methane uptake by soils of a typical semi-arid steppe in Inner Mongolia, China. *Atmospheric Environment* 41(28):5948-5958.
- Schneider K, Ketzer B, Breuer L, Vaché KB, Bernhofer C, Frede H-G. 2007. Evaluation of evapotranspiration methods for model validation in a semi-arid watershed in northern China. *Advances in Geosciences* 11:37-42.
- Wang CJ, Wang SP, Zhou H, Glindemann T. 2007. Effects of forage composition and growing season on methane emission from sheep in the Inner Mongolia steppe of China. *Ecological Research* 22(1):41-48.
- Zhao Y, Peth S, Krummelbein J, Horn R, Wang ZY, Steffens M, Hoffmann C, Peng XH. 2007. Spatial variability of soil properties affected by grazing intensity in Inner Mongolia grassland. *Ecological Modelling* 205(1-2):241-254.

2008 年

- Barthold FK, Sayama T, Schneider K, Breuer L, Vaché KB, Frede HG, McDonnell JJ. 2008. Gauging the ungauged basin: a top-down approach in a large semiarid watershed in China. *Adv Geosci* 18:3-8.
- Gao YZ, Giese M, Lin S, Sattelmacher B, Zhao Y, Brueck H. 2008. Belowground net primary productivity and biomass allocation of a grassland in Inner Mongolia is affected by grazing intensity. *Plant and Soil* 307(1-2):41-50.

- Gong X, Brueck H, Giese KM, Zhang L, Sattelmacher B, Lin S. 2008. Slope aspect has effects on productivity and species composition of hilly grassland in the Xilin River Basin, Inner Mongolia, China. *Journal of Arid Environments* 72(4):483-493.
- Hoffmann C, Funk R, Li Y, Sommer M. 2008a. Effect of grazing on wind driven carbon and nitrogen ratios in the grasslands of Inner Mongolia. *Catena* 75(2):182-190.
- Hoffmann C, Funk R, Sommer M, Li Y. 2008b. Temporal variations in PM(10) and particle size distribution during Asian dust storms in Inner Mongolia. *Atmospheric Environment* 42(36):8422-8431.
- Hoffmann C, Funk R, Wieland R, Li Y, Sommer M. 2008c. Effects of grazing and topography on dust flux and deposition in the Xilingele grassland, Inner Mongolia. *Journal of Arid Environments* 72(5):792-807.
- Holst J, Liu C, Yao Z, Brueggemann N, Zheng X, Giese M, Butterbach-Bahl K. 2008. Fluxes of nitrous oxide, methane and carbon dioxide during freezing-thawing cycles in an Inner Mongolian steppe. *Plant and Soil* 308(1-2):105-117.
- Ketzer B, Liu HZ, Bernhofer C. 2008. Surface characteristics of grasslands in Inner Mongolia as detected by micrometeorological measurements. *International Journal of Biometeorology* 52(7):563-574.
- Krummelbein J, Peth S, Horn R. 2008. Determination of pre-compression stress of a variously grazed steppe soil under static and cyclic loading. *Soil Till Res* 99(2):139-148.
- Liu CY, Holst J, Bruggemann N, Butterbach-Bahl K, Yao ZS, Han SH, Han XG, Zheng XH. 2008. Effects of Irrigation on Nitrous Oxide, Methane and Carbon Dioxide Fluxes in an Inner Mongolian Steppe. *Advances in Atmospheric Sciences* 25(5):748-756.
- Schiborra A, Gierus M, Wan HW, Bai YF, Taube F. 2008. Changes in the non-structural carbohydrate content of two cool-season steppe grasses under different cutting frequencies. *Grassland Science in Europe 13*(conference paper):507-509.
- Schneider K, Huisman JA, Breuer L, Frede HG. 2008a. Ambiguous effects of grazing intensity on surface soil moisture: A geostatistical case study from a steppe environment in Inner Mongolia, PR China. *Journal of Arid Environments* 72(7):1305-1319.
- Schneider K, Huisman JA, Breuer L, Zhao Y, Frede HG. 2008b. Temporal stability of soil moisture in various semi-arid steppe ecosystems and its application in remote sensing. *Journal of Hydrology* 359(1-2):16-29.
- Steffens M, Kolbl A, Totsche KU, Kogel-Knabner I. 2008. Grazing effects on soil chemical and physical properties in a semiarid steppe of Inner Mongolia (PR China). *Geoderma* 143(1-2):63-72.
- Wittmer MHOM, Auerswald K, Tungalag R, Bai YF, Schaufele R, Schnyder H. 2008. Carbon isotope discrimination of C3 vegetation in Central Asian grassland as related to long-term and short-term precipitation patterns. *Biogeosciences* 5(3):913-924.

2009 年

- Auerswald K, Wittmer MHOM, Mannel TT, Bai YF, Schauffele R, Schnyder H. 2009. Large regional-scale variation in C3/C4 distribution pattern of Inner Mongolia steppe is revealed by grazer wool carbon isotope composition. *Biogeosciences* 6(5):795-805.
- Fan L, Gao Y, Bruck H, Bernhofer C. 2009. Investigating the relationship between NDVI and LAI in semi-arid grassland in Inner Mongolia using in-situ measurements. *Theoretical and Applied Climatology* 95(1-2):151-156.
- Gao YZ, Giese M, Han XG, Wang DL, Zhou ZY, Brueck H, Lin S, Taube F. 2009. Land use and drought interactively affect interspecific competition and species diversity at the local scale in a semiarid steppe ecosystem. *Ecological Research* 24(3):627-635.
- Giese M, Gao YZ, Zhao Y, Pan QM, Lin S, Peth S, Brueck H. 2009. Effects of grazing and rainfall variability on root and shoot decomposition in a semi-arid grassland. *Applied Soil Ecology* 41(1):8-18.
- Glindemann T, Tas BM, Wang C, Alvers S, Susenbeth A. 2009. Evaluation of titanium dioxide as an inert marker for estimating faecal excretion in grazing sheep. *Animal Feed Science and Technology* 152(3-4):186-197.
- Glindermann T, Wang C, Tas BM, Schiborra A, Gierus M, Taube F, Susenbeth A. 2009. Impact of grazing intensity on herbage intake, composition, and digestibility and on live weight gain of sheep on the Inner Mongolian steppe. *Livestock Science* 124(1-3):142-147.
- Holst J, Butterbach-Bahl K, Liu CY, Zheng XH, Kaiser AJ, Schnitzler JP, Zechmeister-Boltenstern S, Bruggemann N. 2009. Dinitrogen fixation by biological soil crusts in an Inner Mongolian steppe. *Biology and Fertility of Soils* 45(7):679-690.
- Krummelbein J, Peth S, Zhao Y, Horn R. 2009. Grazing-induced alterations of soil hydraulic properties and functions in Inner Mongolia, PR China. *J Plant Nutr Soil Sc* 172(6):769-776.
- Liu CY, Hoist J, Yao ZS, Bruggemann N, Butterbach-Bahl K, Han SH, Han XG, Tas B, Susenbeth A, Zheng XH. 2009a. Growing season methane budget of an Inner Mongolian steppe. *Atmospheric Environment* 43(19):3086-3095.
- Liu CY, Holst J, Yao ZS, Bruggemann N, Butterbach-Bahl K, Han SH, Han XG, Zheng XH. 2009b. Sheepfolds as "hotspots" of nitric oxide (NO) emission in an Inner Mongolian steppe. *Agr Ecosyst Environ* 134(1-2):136-142.
- Schiborra A, Gierus M, Wan HW, Bai YF, Taube F. 2009. Short-term responses of a *Stipa grandis*/*Leymus chinensis* community to frequent defoliation in the semi-arid grasslands of Inner Mongolia, China. *Agr Ecosyst Environ* 132(1-2):82-90.
- Schonbach P, Wan H, Schiborra A, Gierus M, Bai Y, Muller K, Glindemann T, Wang C, Susenbeth A, Taube F. 2009. Short-term management and stocking rate effects of grazing sheep on herbage quality and productivity of Inner

- Mongolia steppe. *Crop Pasture Sci* 60(10):963-974.
- Steffens M, Koebel A, Giese M, Hoffmann C, Totsche KU, Breuer L, Kogel-Knabner I. 2009a. Spatial variability of topsoils and vegetation in a grazed steppe ecosystem in Inner Mongolia (PR China). *J Plant Nutr Soil Sc* 172(1):78-90.
- Steffens M, Kolbl A, Kogel-Knabner I. 2009b. Alteration of soil organic matter pools and aggregation in semi-arid steppe topsoils as driven by organic matter input. *European Journal of Soil Science* 60(2):198-212.
- Wang CJ, Tas BM, Glindemann T, Mueller K, Schiborra A, Schoenbach P, Gierus M, Taube F, Susenbeth A. 2009a. Rotational and continuous grazing of sheep in the Inner Mongolian steppe of China. *Journal of Animal Physiology and Animal Nutrition* 93(2):245-252.
- Wang CJ, Tas BM, Glindemann T, Rave G, Schmidt L, Weissbach F, Susenbeth A. 2009b. Fecal crude protein content as an estimate for the digestibility of forage in grazing sheep. *Animal Feed Science and Technology* 149(3-4):199-208.
- Wiesmeier M, Steffens M, Kolbl A, Kogel-Knabner I. 2009. Degradation and small-scale spatial homogenization of topsoils in intensively-grazed steppes of Northern China. *Soil Till Res* 104(2):299-310.
- Yao ZS, Zheng XH, Xie BH, Liu CY, Mei BL, Dong HB, Butterbach-Bahl K, Zhu JG. 2009. Comparison of manual and automated chambers for field measurements of N₂O, CH₄, CO₂ fluxes from cultivated land. *Atmospheric Environment* 43(11):1888-1896.

2010 年

- Barthold FK, Wu J, Vaché KB, Schneider K, Frede H-G, Breuer L. 2010. Identification of geographic runoff sources in a data sparse region: hydrological processes and the limitations of tracer-based approaches. *Hydrological Processes* 24(16):2313-2327.
- Brueck H, Erdle K, Gao YZ, Giese M, Zhao Y, Peth S, Lin S. 2010. Effects of N and water supply on water use-efficiency of a semiarid grassland in Inner Mongolia. *Plant and Soil* 328(1-2):495-505.
- Chen WW, Wolf B, Yao ZS, Bruggemann N, Butterbach-Bahl K, Liu CY, Han SH, Han XG, Zheng XH. 2010. Annual methane uptake by typical semiarid steppe in Inner Mongolia. *J Geophys Res-Atmos* 115.
- Li JJ, Li Y, Wang YL, Wu JS. 2010. Applicability study of using in-situ gamma-ray spectrometry technique for Cs-137 and Pb-210(ex) inventories measurement in grassland environments. *Appl Radiat Isotopes* 68(6):1143-1149.
- Schiborra A, Gierus M, Wan HW, Glindemann T, Wang CJ, Susenbeth A, Taube F. 2010. Dietary selection of sheep grazing the semi-arid grasslands of Inner Mongolia, China at different grazing intensities. *Journal of Animal Physiology and Animal Nutrition* 94(4):446-454.
- Wittmer MHOM, Auerswald K, Bai YF, Schauffele R, Schnyder H. 2010a. Changes in the abundance of C₃/C₄ species of Inner Mongolia grassland: evidence from isotopic composition of soil and vegetation $\sqrt{}$. *Global Change Biology* 16(2):605-616.

- Wittmer MHOM, Auerswald K, Schonbach P, Schaufele R, Muller K, Yang H, Bai YF, Susenbeth A, Taube F, Schnyder H. 2010b. Do grazer hair and faeces reflect the carbon isotope composition of semi-arid C3/C4 grassland? *Basic Appl Ecol* 11(1):83-92.
- Wolf B, Zheng XH, Brueggemann N, Chen WW, Dannenmann M, Han XG, Sutton MA, Wu HH, Yao ZS, Butterbach-Bahl K. 2010. Grazing-induced reduction of natural nitrous oxide release from continental steppe. *Nature* 464(7290):881-884.
- Wu X, Yao Z, Bruggemann N, Shen ZY, Wolf B, Dannenmann M, Zheng X, Butterbach-Bahl K. 2010. Effects of soil moisture and temperature on CO(2) and CH(4) soil atmosphere exchange of various land use/cover types in a semi-arid grassland in Inner Mongolia, China. *Soil Biol Biochem* 42(5):773-787.
- Yao ZS, Wolf B, Chen WW, Butterbach-Bahl K, Bruggemann N, Wiesmeier M, Dannenmann M, Blank B, Zheng XH. 2010a. Spatial variability of N(2)O, CH(4) and CO(2) fluxes within the Xilin River catchment of Inner Mongolia, China: a soil core study. *Plant and Soil* 331(1-2):341-359.
- Yao ZS, Wu X, Wolf B, Dannenmann M, Butterbach-Bahl K, Brueggemann N, Chen WW, Zheng XH. 2010b. Soil-atmosphere exchange potential of NO and N(2)O in different land use types of Inner Mongolia as affected by soil temperature, soil moisture, freeze-thaw, and drying-wetting events. *J Geophys Res-Atmos* 115.
- Zhao Y, Peth S, Horn R, Krümmelbein J, Ketzer B, Gao YZ, Doerner J, Bernhofer C, Peng XH. 2010a. Modeling grazing effects on coupled water and heat fluxes in Inner Mongolia grassland. *Soil Till Res* 109(2):75-86.
- Zhao Y, Peth S, Wang XY, Lin H, Horn R. 2010b. Controls of surface soil moisture spatial patterns and their temporal stability in a semi-arid steppe. *Hydrological Processes* 24(18):2507-2519.

2011 年

- Butterbach-Bahl K, Kögel-Knabner I, Han X. 2011. Steppe ecosystems and climate and land-use changes—vulnerability, feedbacks and possibilities for adaptation. *Plant and Soil* 340(1):1-6.
- Chen Q, Hooper DU, Lin S. 2011a. Shifts in Species Composition Constrain Restoration of Overgrazed Grassland Using Nitrogen Fertilization in Inner Mongolian Steppe, China. *Plos One* 6(3).
- Chen W, Wolf B, Bruggemann N, Butterbach-Bahl K, Zheng X. 2011b. Annual emissions of greenhouse gases from sheepfolds in Inner Mongolia. *Plant and Soil* 340(1):291-301.
- Chen W, Wolf B, Zheng X, Yao Z, Butterbach-Bahl K, Bruggemann N, Liu C, Han S, Han X. 2011c. Annual methane uptake by temperate semiarid steppes as regulated by stocking rates, aboveground plant biomass and topsoil air permeability. *Global Change Biology* 17(9):2803-2816.

- Fan L, Ketzer B, Liu H, Bernhofer C. 2011. Grazing effects on seasonal dynamics and interannual variabilities of spectral reflectance in semi-arid grassland in Inner Mongolia. *Plant and Soil* 340(1):169-180.
- Fanselow N, Schönbach P, Gong X, Lin S, Taube F, Loges R, Pan Q, Dittert K. 2011. Short-term regrowth responses of four steppe grassland species to grazing intensity, water and nitrogen in Inner Mongolia. *Plant and Soil* 340(1):279-289.
- Gao YZ, Chen Q, Lin S, Giese M, Brueck H. 2011. Resource manipulation effects on net primary production, biomass allocation and rain-use efficiency of two semiarid grassland sites in Inner Mongolia, China. *Oecologia* 165(4):855-864.
- Giese M, Gao Y, Lin S, Brueck H. 2011. Nitrogen availability in a grazed semi-arid grassland is dominated by seasonal rainfall. *Plant and Soil* 340(1):157-167.
- Gong X, Chen Q, Dittert K, Taube F, Lin S. 2011a. Nitrogen, phosphorus and potassium nutritional status of semiarid steppe grassland in Inner Mongolia. *Plant and Soil* 340(1):265-278.
- Gong X, Chen Q, Lin S, Brueck H, Dittert K, Taube F, Schnyder H. 2011b. Tradeoffs between nitrogen- and water-use efficiency in dominant species of the semiarid steppe of Inner Mongolia. *Plant and Soil* 340(1):227-238.
- Hoffmann C, Funk R, Reiche M, Li Y. 2011. Assessment of extreme wind erosion and its impacts in Inner Mongolia, China. *Aeolian Research* 3(3):343-351
- Kölbl A, Steffens M, Wiesmeier M, Hoffmann C, Funk R, Krümmelbein J, Reszkowska A, Zhao Y, Peth S, Horn R and others. 2011. Grazing changes topography-controlled topsoil properties and their interaction on different spatial scales in a semi-arid grassland of Inner Mongolia, P.R. China. *Plant and Soil* 340(1):35-58.
- Kawada K, W, Nakamura T. 2011. Land degradation of abandoned croplands in the Xilingol steppe region, Inner Mongolia, China. *Grassland Science* 57(1):58-64.
- Li J, Lin S, Taube F, Pan Q, Dittert K. 2011. Above and belowground net primary productivity of grassland influenced by supplemental water and nitrogen in Inner Mongolia. *Plant and Soil* 340(1):253-264.
- Lin LJ, Dickhoefer U, Muller K, Wurina, Susenbeth A. 2011. Grazing behavior of sheep at different stocking rates in the Inner Mongolian steppe, China. *Appl Anim Behav Sci* 129(1):36-42.
- Liu Y, Pan Q, Liu H, Bai Y, Simmons M, Dittert K, Han X. 2011. Plant responses following grazing removal at different stocking rates in an Inner Mongolia grassland ecosystem. *Plant and Soil* 340(1):199-213.
- Qi S, Zheng H, Lin Q, Li G, Xi Z, Zhao X. 2011. Effects of livestock grazing intensity on soil biota in a semiarid steppe of Inner Mongolia. *Plant and Soil* 340(1):117-126.
- Reszkowska A, Krümmelbein J, Peth S, Horn R, Zhao Y, Gan L. 2011a. Influence of grazing on hydraulic and mechanical properties of semiarid steppe soils under different vegetation type in Inner Mongolia, China. *Plant and Soil* 340(1):59-72.

- Reszkowska A, Krummelbein J, Gan L, Peth S, Horn R. 2011b. Influence of grazing on soil water and gas fluxes of two Inner Mongolian steppe ecosystems. *Soil Till Res* 111(2):180-189.
- Reszkowska A, Peth S, Peng XH, Horn R. 2011c. Grazing Effects on Compressibility of Kastanozems in Inner Mongolian Steppe Ecosystem. *Soil Sci Soc Am J* 75(2):426-433.
- Ronnenberg K, Wesche K. 2011. Effects of fertilization and irrigation on productivity, plant nutrient contents and soil nutrients in southern Mongolia. *Plant and Soil* 340(1):239-251.
- Schönbach P, Wan H, Gierus M, Bai Y, Müller K, Lin L, Susenbeth A, Taube F. 2011. Grassland responses to grazing: effects of grazing intensity and management system in an Inner Mongolian steppe ecosystem. *Plant and Soil* 340(1):103-115.
- Schaffrath D, Barthold F, Bernhofer C. 2011. Spatiotemporal variability of grassland vegetation cover in a catchment in Inner Mongolia, China, derived from MODIS data products. *Plant and Soil* 340(1):181-198.
- Schneider K, Leopold U, Gerschlauser F, Barthold F, Giese M, Steffens M, Hoffmann C, Frede H-G, Breuer L. 2011. Spatial and temporal variation of soil moisture in dependence of multiple environmental parameters in semi-arid grasslands. *Plant and Soil* 340(1):73-88.
- Steffens M, Kolbl A, Schork E, Gschrey B, Kogel-Knabner I. 2011. Distribution of soil organic matter between fractions and aggregate size classes in grazed semiarid steppe soil profiles. *Plant and Soil* 338(1-2):63-81.
- Wan H, Bai Y, Schönbach P, Gierus M, Taube F. 2011. Effects of grazing management system on plant community structure and functioning in a semiarid steppe: scaling from species to community. *Plant and Soil* 340(1):215-226.
- Wiesmeier M, Barthold F, Blank B, Kögel-Knabner I. 2011. Digital mapping of soil organic matter stocks using Random Forest modeling in a semi-arid steppe ecosystem. *Plant and Soil* 340(1):7-24.
- Wittmer M, Auerswald K, Schönbach P, Bai Y, Schnyder H. 2011. 15N fractionation between vegetation, soil, faeces and wool is not influenced by stocking rate. *Plant and Soil* 340(1):25-33.
- Wolf B, Chen W, Brüggemann N, Zheng X, Pumpanen J, Butterbach-Bahl K. 2011. Applicability of the soil gradient method for estimating soil-atmosphere CO₂, CH₄, and N₂O fluxes for steppe soils in Inner Mongolia. *Journal of Plant Nutrition and Soil Science* 174(3):359-372.
- Wu H, Dannenmann M, Fanselow N, Wolf B, Yao Z, Wu X, Brüggemann N, Zheng X, Han X, Dittert K and others. 2011. Feedback of grazing on gross rates of N mineralization and inorganic N partitioning in steppe soils of Inner Mongolia. *Plant and Soil* 340(1):127-139.
- Yang H, Auerswald K, Bai Y, Han X. 2011a. Complementarity in water sources among dominant species in typical steppe ecosystems of Inner Mongolia, China. *Plant and Soil* 340(1):303-313.
- Yang H, Auerswald K, Bai YF, Wittmer MHOM, Schnyder H. 2011b. Variation in

- carbon isotope discrimination in *Cleistogenes squarrosa* (Trin.) Keng: patterns and drivers at tiller, local, catchment, and regional scales. *Journal of Experimental Botany* 62(12):4143-4152.
- Zhang ZD, Wieland R, Reiche M, Funk R, Hoffmann C, Li Y, Sommer M. 2011. Wind modelling for wind erosion research by open source computational fluid dynamics. *Ecol Inform* 6(5):316-324.
- Zhao Y, Peth S, Hallett P, Wang X, Giese M, Gao Y, Horn R. 2011a. Factors controlling the spatial patterns of soil moisture in a grazed semi-arid steppe investigated by multivariate geostatistics. *Ecohydrology* 4(1):36-48.
- Zhao Y, Peth S, Reszkowska A, Gan L, Krümmelbein J, Peng X, Horn R. 2011b. Response of soil moisture and temperature to grazing intensity in a *Leymus chinensis* steppe, Inner Mongolia. *Plant and Soil* 340(1):89-102.
- Zheng S, Lan Z, Li W, Shao R, Shan Y, Wan H, Taube F, Bai Y. 2011. Differential responses of plant functional trait to grazing between two contrasting dominant C3 and C4 species in a typical steppe of Inner Mongolia, China. *Plant and Soil* 340(1):141-155.

2012 年

- Auerswald K, Wittmer MHOM, Tungalag R, Bai YF, Schnyder H. 2012. Sheep Wool δ C-13 Reveals No Effect of Grazing on the C-3/C-4 Ratio of Vegetation in the Inner Mongolia-Mongolia Border Region Grasslands. *Plos One* 7(9).
- Du Q, Liu H, Feng J, Wang L, Huang J, Zhang W, Bernhofer C. 2012. Carbon dioxide exchange processes over the grassland ecosystems in semiarid areas of China. *SCIENCE CHINA Earth Sciences* 55(4):644-655.
- Funk R, Li Y, Hoffmann C, Reiche M, Zhang Z, Li J, Sommer M. 2012. Using ^{137}Cs to estimate wind erosion and dust deposition on grassland in Inner Mongolia-selection of a reference site and description of the temporal variability. *Plant and Soil* 351(1):293-307.
- Gan L, Peng X, Peth S, Horn R. 2012a. Effects of grazing intensity on soil thermal properties and heat flux under *Leymus chinensis* and *Stipa grandis* vegetation in Inner Mongolia, China. *Soil Till Res* 118:147-158.
- Gan L, Peng XH, Peth S, Horn R. 2012b. Effects of Grazing Intensity on Soil Water Regime and Flux in Inner Mongolia Grassland, China. *Pedosphere* 22(2):165-177.
- Karl A, Max HOMW, Yongfei B, Hao Y, Friedhelm T, Andreas S, Hans S. 2012. C4 abundance in an Inner Mongolia grassland system is driven by temperature–moisture interaction, not grazing pressure. *Basic Appl Ecol* 13(1):67-75.
- Lin LJ, Dickhoefer U, Muller K, Wang CJ, Glindemann T, Hao J, Wan H, Schonbach P, Gierus M, Taube F and others. 2012. Growth of sheep as affected by grazing system and grazing intensity in the steppe of Inner Mongolia, China. *Livestock Science* 144(1-2):140-147.

- Matthias Reiche, Roger Funk, Zhuodong Zhang, Carsten Hoffmann, Yong Li, Sommer M. 2012. Using a Parafoil Kite for Measurement of Variations in Particulate Matter—A Kite-Based Dust Profiling Approach. *Atmospheric and Climate Sciences* 2(1):41-51.
- Metzger S, Junkermann W, Mauder M, Beyrich F, Butterbach-Bahl K, Schmid HP, Foken T. 2012. Eddy Covariance flux measurements with a weight-shift microlight aircraft. *Atmos Meas Tech Discuss* 5(2):2591-2643.
- Muller K, Lin L, Wang C, Glindemann T, Schiborra A, Schonbach P, Wan H, Dickhoefer U, Susenbeth A. 2012. Effect of continuous v. daytime grazing on feed intake and growth of sheep grazing in a semi-arid grassland steppe. *Animal* 6(3):526-534.
- Reiche M, Funk R, Zhang Z, Hoffmann C, Reiche J, Wehrhan M, Li Y, Sommer M. 2012. Application of satellite remote sensing for mapping wind erosion risk and dust emission-deposition in Inner Mongolia grassland, China. *Grassland Science* 58(1):8-19.
- Ren HY, Schonbach P, Wan HW, Gierus M, Taube F. 2012. Effects of Grazing Intensity and Environmental Factors on Species Composition and Diversity in Typical Steppe of Inner Mongolia, China. *Plos One* 7(12).
- Schönbach P, Wan H, Gierus M, Loges R, Müller K, Lin L, Susenbeth A, Taube F. 2012a. Effects of grazing and precipitation on herbage production, herbage nutritive value and performance of sheep in continental steppe. *Grass and Forage Science* 67(4):535-545.
- Schönbach P, Wolf B, Dickhöfer U, Wiesmeier M, Chen W, Wan H, Gierus M, Butterbach-Bahl K, Kögel-Knabner I, Susenbeth A and others. 2012b. Grazing effects on the greenhouse gas balance of a temperate steppe ecosystem. *Nutrient Cycling in Agroecosystems* 93(3):357-371.
- Vetter SH, Schaffrath D, Bernhofer C. 2012. Spatial simulation of evapotranspiration of semi-arid Inner Mongolian grassland based on MODIS and eddy covariance data. *Environmental Earth Sciences* 65(5):1567-1574.
- Wang L, Liu H, Ketzer B, Horn R, Bernhofer C. 2012. Effect of grazing intensity on evapotranspiration in the semiarid grasslands of Inner Mongolia, China. *Journal of Arid Environments* 83:15-24.
- Wiesmeier M, Kreyling O, Steffens M, Schoenbach P, Wan H, Gierus M, Taube F, Kölbl A, Kögel-Knabner I. 2012a. Short-term degradation of semiarid grasslands—results from a controlled-grazing experiment in Northern China. *Journal of Plant Nutrition and Soil Science* 175(3):434-442.
- Wiesmeier M, Steffens M, Mueller CW, Kolbl A, Reszkowska A, Peth S, Horn R, Kogel-Knabner I. 2012b. Aggregate stability and physical protection of soil organic carbon in semi-arid steppe soils. *European Journal of Soil Science* 63(1):22-31.
- Wolf B, Kiese R, Chen WW, Grote R, Zheng XH, Butterbach-Bahl K. 2012. Modeling N₂O emissions from steppe in Inner Mongolia, China, with consideration of spring thaw and grazing intensity. *Plant and Soil* 350(1-2):297-310.

- Wu H, Dannenmann M, Wolf B, Han XG, Zheng X, Butterbach-Bahl K. 2012a. Seasonality of soil microbial nitrogen turnover in continental steppe soils of Inner Mongolia. *Ecosphere* 3(4):art34.
- Wu HH, Wiesmeier M, Yu Q, Steffens M, Han XG, Kogel-Knabner I. 2012b. Labile organic C and N mineralization of soil aggregate size classes in semiarid grasslands as affected by grazing management. *Biology and Fertility of Soils* 48(3):305-313.
- Zhang ZD, Wieland R, Reiche M, Funk R, Hoffmann C, Li Y, Sommer M. 2012a. A computational fluid dynamics model for wind simulation: model implementation and experimental validation. *J Zhejiang Univ-Sc A* 13(4):274-283.
- Zhang ZD, Wieland R, Reiche M, Funk R, Hoffmann C, Li Y, Sommer M. 2012b. Identifying sensitive areas to wind erosion in the Xilingele grassland by computational fluid dynamics modelling. *Ecol Inform* 8:37-47.

2013 年

- Barthold FK, Wiesmeier M, Breuer L, Frede HG, Wu J, Blank FB. 2013. Land use and climate control the spatial distribution of soil types in the grasslands of Inner Mongolia. *Journal of Arid Environments* 88:194-205.
- Chen, W., B. Wolf, X. Zheng, Z. Yao, K. Butterbach-Bahl, N. Brueggemann, S. Han, C. Liu, and X. Han. 2013c. Carbon dioxide emission from temperate semiarid steppe during the non-growing season. *Atmospheric Environment* 64:141-149.
- Chen, W., X. Zheng, Q. Chen, B. Wolf, K. Butterbach-Bahl, N. Brueggemann, and S. Lin. 2013d. Effects of increasing precipitation and nitrogen deposition on CH₄ and N₂O fluxes and ecosystem respiration in a degraded steppe in Inner Mongolia, China. *Geoderma* 192:335-340.
- Hao J, Dickhoefer U, Lin L, Müller K, Glindemann T, Schönbach P, Schiborra A, Wang C, Susenbeth A. 2013. Effects of rotational and continuous grazing on herbage quality, feed intake and performance of sheep on a semi-arid grassland steppe. *Archives of Animal Nutrition* 67(1):62-76.
- Gao, Y. Z., M. Giese, Q. Gao, H. Brueck, L. X. Sheng, and H. J. Yang. 2013. Community level offset of rain use- and transpiration efficiency for a heavily grazed ecosystem in inner mongolia grassland. *PLoS ONE* 8:e74841-e74841.
- Giese, M., H. Brueck, Y. Z. Gao, S. Lin, M. Steffens, I. Koegel-Knabner, T. Glindemann, A. Susenbeth, F. Taube, K. Butterbach-Bahl, X. H. Zheng, C. Hoffmann, Y. F. Bai, and X. G. Han. 2013. N balance and cycling of Inner Mongolia typical steppe: a comprehensive case study of grazing effects. *Ecological Monographs* 83:195-219.
- Luo, G. J., R. Kiese, B. Wolf, and K. Butterbach-Bahl. 2013a. Effects of soil temperature and moisture on methane uptake and nitrous oxide emissions across three different ecosystem types. *Biogeosciences* 10:3205-3219.
- Metzger S, Junkermann W, Mauder M, Butterbach-Bahl K, Trancón y Widemann B, Neidl F, Schäfer K, Wieneke S, Zheng XH, Schmid HP and others. 2013. Spatially explicit regionalization of airborne flux measurements using

environmental response functions. *Biogeosciences* 10(4):2193-2217.

Schaffrath D, Vetter SH, Bernhofer C. 2013. Spatial precipitation and evapotranspiration in the typical steppe of Inner Mongolia, China - A model based approach using MODIS data. *Journal of Arid Environments* 88:184-193.

Wu, X., G. Liu, K. Butterbach-Bahl, B. Fu, X. Zheng, and N. Brueggemann. 2013. Effects of land cover and soil properties on denitrification potential in soils of two semi-arid grasslands in Inner Mongolia, China. *Journal of Arid Environments* 92:98-101.

Zhao, Y., M. Huang, R. Horton, F. Liu, S. Peth, and R. Horn. 2013b. Influence of Winter Grazing on Water and Heat Flow in Seasonally Frozen Soil of Inner Mongolia. *Vadose Zone Journal* 12(2):1-11.

2015 年

Wan, H. W., Y. F. Bai, D. U. Hooper, P. Schönbach, M. Gierus, A. Schiborra, and F. Taube. 2015. Selective grazing and seasonal precipitation play key roles in shaping plant community structure of semi-arid grasslands. *Landscape Ecology* 30:1767-1782.

2016 年

Hoffmann, C., M. Giese, U. Dickhoefer, H. W. Wan, Y. F. Bai, M. Steffens, C. Y. Liu, K. Butterbach-Bahl, and X. G. Han. 2016. Effects of grazing and climate variability on grassland ecosystem functions in Inner Mongolia: Synthesis of a 6-year grazing experiment. *Journal of Arid Environments* 135:50-63.